

☐ Show ☒ Hide ☐ Clear

☐ USPAT

Definieren Sie die

- ☐ Purch
- ☐ Highlight all the terms and conditions


11 and (replica).ab.

 Active

```

L1: (13158) 709/$.ccls.
L2: (420) 11 and cach$.ab.
L3: (1) 12 and hop.ab.
L4: (4) 12 and congestion.ab.
L5: (21) 12 and bandwidth.ab.
L6: (3) 12 and distance.ab.
L7: (0) 11 and (cache adj release adj pr
L8: (1) 11 and (cache adj release)
L9: (35) 11 and (replics) ab.

```

 Saved

```

(1806) 709/200,217,226,231,235.ccls.
(4) 709/200,217,226,231,235.ccls. and (p
(0) 709/200,217,226,231,235.ccls. and (c
(0) 709/200,217,226,231,235.ccls. and (c
(0) 709/200,217,226,231,235.ccls. and (c
(0) 709/200,217,226,231,235.ccls. and (c
(15) (proximity and server).ab.
(14) ((proximity and server).ab.) not (7
(13) (cach$ and (proximity or hops or di
(26) 709/200,217,226,231,235.ccls. and

```

| | # | 1 | Document ID | Issue Date | Pages | Title | Current OR | Current XRef | Retrieval C | |
|----|-------------------------------------|-------------------------------------|---------------|------------|-------|---|------------|------------------------|-------------|--------------------|
| 1 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 6385643 B1 | 20020507 | 28 | Clustered enterprise Java.TM. having a message | 709/203 | 709/201; 709/238 | | Jacobs, |
| 2 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 6367029 B1 | 20020402 | 16 | File server system tolerant to software and hardware | 714/2 | 709/203; 714/732 | | Mayhead |
| 3 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 6356916 B1 | 20020312 | 28 | Replica system and method of producing a replica | 707/201 | 707/202; 707/203; | | Yamatar et al. |
| 4 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 6345308 B1 | 20020205 | 19 | Network computer system and method for executing data | 709/248 | 707/101; 709/203 | | Abe, Ma |
| 5 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 6314453 B1 | 20011106 | 8 | Method for sharing and executing inaccessible | 709/205 | 709/201; 709/204 | | Hao, Mi |
| 6 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 6256675 B1 | 20010703 | 21 | System and method for allocating requests for | 709/241 | 709/225 | | Rabinov |
| 7 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 6236999 B1 | 20010522 | 26 | Duplicated naming service in a distributed processing | 707/10 | 707/100; 707/104.1; | | Jacobs, |
| 8 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 6195685 B1 | 20010227 | 30 | Flexible event sharing, batching, and state | 709/205 | 709/330 | | Mukherj al. |
| 9 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 6189043 B1 | 20010213 | 25 | Dynamic cache replication in a internet environment | 709/241 | 370/254; 370/255; | | Buyukko al. |
| 10 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 6167437 A | 20001226 | 22 | Method, system, and computer program product for page | 709/214 | 711/148; 711/165 | | Stevens al. |
| 11 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 6167427 A | 20001226 | 15 | Replication service system and method for directing the | 709/201 | 707/204; 707/205; | | Rabinov al. |
| 12 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 6138124 A | 20001024 | 8 | Field level replication method | 707/201 | 707/8; 709/100; | | Beckhar |
| 13 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 6065017 A | 20000516 | 23 | Apparatus and method for identifying and recovering | 707/202 | 709/220; 714/15 | | Barker, |
| 14 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 6058416 A | 20000502 | 28 | Flexible state sharing and consistency mechanism for | 709/203 | 709/205; 709/315 | | Mukherj al. |
| 15 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 6052718 A | 20000418 | 22 | Replica routing | 709/219 | 709/238; 709/242 | | Gifford |
| 16 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 6049809 A | 20000411 | 22 | Replication optimization system and method | 707/203 | 707/204; 707/205; | | Raman, |
| 17 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 6026371 A | 20000215 | 9 | Method and apparatus for allowing online directory | 705/14 | 707/10; 709/203; | | Beck, T al. |
| 18 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 6014686 A | 20000111 | 10 | Apparatus and methods for highly available directory | 709/202 | 709/219; 709/224; | | Elnozah Elmoota |
| 19 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 5968121 A | 19991019 | 27 | Method and apparatus for representing and applying | 709/219 | | | Logan, |
| 20 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 5960176 A | 19990928 | 36 | Apparatus for management of SNMP/OSI gateways | 709/223 | 709/228; 709/236 | | Kuroki, |
| 21 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 5941999 A | 19990824 | 19 | Method and system for achieving high availability | 714/6 | 709/203; 711/100; | | Matena, al. |
| 22 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | US 5905896 A | 19990518 | 5 | Method of changing software | 717/170 | 709/221 | | Delanno |



| | Type | L # | Hits | Search Text | |
|---|------|-----|-------|-------------------------------|----|
| 1 | BRS | L1 | 2041 | 709/200,217,226,231,235.ccls. | US |
| 2 | BRS | L2 | 4 | 11 and proximity.ab. | US |
| 3 | BRS | L3 | 12165 | 709/S.ccls. | US |
| 4 | BRS | L4 | 27 | 13 and proximity.ab. | US |
| 5 | BRS | L5 | 23 | 14 not 12 | US |
| 6 | BRS | L6 | 0 | 13 and proximit.ab. | US |
| 7 | BRS | L7 | 0 | 13 and closeness.ab. | US |
| 8 | BRS | L8 | 4 | 13 and vicinity.ab. | US |

| EAST - 193283676.wsp.11 | | | | |
|--|------|------|--|-----|
| File Edit View Window Help | | | | |
| <div> <div> <div>L4: (27) 13 and proximity.ab.</div> <div>L5: (23) 14 not 12</div> <div>L6: (0) 13 and proximit.ab.</div> <div>L7: (0) 13 and closeness.ab.</div> </div> <div> <div>Search</div> <div>Filter</div> <div>Save</div> <div>Print</div> </div> <div> <div>BRS term</div> <div>Search term</div> <div>Image</div> <div>Text</div> </div> </div> | | | | |
| | Type | Hits | Search Text | |
| 2 | BRS | 4 | 709/200,217,226,231,235.ccls. and (proximity).ab. | USP |
| 3 | BRS | 0 | 709/200,217,226,231,235.ccls. and (cach\$ and hop and server and content).ab. | USP |
| 4 | BRS | 0 | 709/200,217,226,231,235.ccls. and (cach\$ and hop and server).ab. | USP |
| 5 | BRS | 0 | 709/200,217,226,231,235.ccls. and (cach\$ and distance and server).ab. | USP |
| 6 | BRS | 0 | 709/200,217,226,231,235.ccls. and (cach\$ and bandwidth and server).ab. | USP |
| 7 | BRS | 15 | (proximity and server).ab. | USP |
| 8 | BRS | 14 | ((proximity and server).ab.) not (709/200,217,226,231,235.ccls. and (proximity).ab.) | USP |
| 9 | BRS | 13 | (cach\$ and (proximity or hops or distance)).ab. | USP |
| 10 | BRS | 26 | (709/200,217,226,231,235.ccls. and (proximity).ab.) or 17-19 | USP |
| 11 | BRS | 68 | (replicat\$ and (proximity or hops or distance)).ab. | USP |
| 12 | BRS | 68 | ((replicat\$ and (proximity or hops or distance)).ab.) not ((709/200,217,226,231,235.ccls. and (proximity).ab.) or 17-19) | USP |
| 13 | BRS | 1 | ((replicat\$ and (proximity or hops or distance)).ab.) and (network).ab. | USP |
| 14 | BRS | 4 | (mirror and (proximity or hops or distance) and network).ab. | USP |
| 15 | BRS | 5 | (mirror\$ and (proximity or hops or distance) and network).ab. | USP |
| 16 | BRS | 410 | (cach\$ and (proximity or hops or distance or location or position)).ab. | USP |
| 17 | BRS | 12 | ((cach\$ and (proximity or hops or distance or location or position)).ab.) and ((client or user) and (host or server)).ab. | USP |
| 18 | BRS | 26 | (proxy and cach\$).ab. | USP |
| 19 | BRS | 0 | (cach\$ and server and closest).ab. | USP |
| 20 | BRS | 5 | (cach\$ and closest).ab. | USP |
| 21 | BRS | 4 | ((cach\$ and closest).ab.) not ((proxy and cach\$).ab.) | USP |
| 22 | BRS | 0 | (replicat\$ and closest and network).ab. | USP |



L4: (27) 13 and proximity.ab.

L5: (23) 14 not 12

L6: (0) 13 and proximitt.ab.

L7: (0) 13 and closest.ab.

Search Text

BRS term BRS term Image Text

| | Type | Hits | Search Text | |
|----|------|------|--|-----|
| 22 | BRS | 0 | (replicat\$ and closest and network).ab. | USP |
| 23 | BRS | 185 | (push\$ and network).ab. | USP |
| 24 | BRS | 72 | ((709/200,217,226,231,235.ccls. and (proximity).ab.) or 17-19) or ((mirror and (proximity or hops or distance) and network).ab.) or ((mirror\$ and (proximity or hops or distance) and network).ab.) or (((cach\$ and (proximity or hops or distance or location or position)).ab.) and ((client or user) and (host or server)).ab.) or ((proxy and cach\$).ab.) or ((cach\$ and closest).ab.) | USP |
| 25 | BRS | 185 | ((push\$ and network).ab.) not (((709/200,217,226,231,235.ccls. and (proximity).ab.) or 17-19) or ((mirror and (proximity or hops or distance) and network).ab.) or ((mirror\$ and (proximity or hops or distance) and network).ab.) or (((cach\$ and (proximity or hops or distance or location or position)).ab.) and ((client or user) and (host or server)).ab.) or ((proxy and cach\$).ab.) or ((cach\$ and closest).ab.))) | USP |
| 26 | BRS | 3 | ((push\$ and network).ab.) not (((709/200,217,226,231,235.ccls. and (proximity).ab.) or 17-19) or ((mirror and (proximity or hops or distance) and network).ab.) or ((mirror\$ and (proximity or hops or distance) and network).ab.) or (((cach\$ and (proximity or hops or distance or location or position)).ab.) and ((client or user) and (host or server)).ab.) or ((proxy and cach\$).ab.) or ((cach\$ and closest).ab.))) and (proxim\$).ab. | USP |
| 27 | BRS | 1 | ((push\$ and network).ab.) not (((709/200,217,226,231,235.ccls. and (proximity).ab.) or 17-19) or ((mirror and (proximity or hops or distance) and network).ab.) or ((mirror\$ and (proximity or hops or distance) and network).ab.) or (((cach\$ and (proximity or hops or distance or location or position)).ab.) and ((client or user) and (host or server)).ab.) or ((proxy and cach\$).ab.) or ((cach\$ and closest).ab.))) and (closest).ab. | USP |
| 28 | BRS | 0 | ((push\$ and network).ab.) not (((709/200,217,226,231,235.ccls. and (proximity).ab.) or 17-19) or ((mirror and (proximity or hops or distance) and network).ab.) or ((mirror\$ and (proximity or hops or distance) and network).ab.) or (((cach\$ and (proximity or hops or distance or location or position)).ab.) and ((client or user) and (host or server)).ab.) or ((proxy and cach\$).ab.) or ((cach\$ and closest).ab.))) and (sshrtest adj distance).ab. | USP |
| 29 | BRS | 0 | ((push\$ and network).ab.) not (((709/200,217,226,231,235.ccls. and (proximity).ab.) or 17-19) or ((mirror and (proximity or hops or distance) and network).ab.) or ((mirror\$ and (proximity or hops or distance) and network).ab.) or (((cach\$ and (proximity or hops or distance or location or position)).ab.) and ((client or user) and (host or server)).ab.) or ((proxy and cach\$).ab.) or ((cach\$ and closest).ab.))) and (shortest adj distance).ab. | USP |
| 30 | BRS | 0 | ((push\$ and network).ab.) not (((709/200,217,226,231,235.ccls. and (proximity).ab.) or 17-19) or ((mirror and (proximity or hops or distance) and network).ab.) or ((mirror\$ and (proximity or hops or distance) and network).ab.) or (((cach\$ and (proximity or hops or distance or location or position)).ab.) and ((client or user) and (host or server)).ab.) or ((proxy and cach\$).ab.) or ((cach\$ and closest).ab.))) and (hops).ab. | USP |
| 31 | BRS | 0 | (cach\$ and hops).ab. | USP |
| 32 | BRS | 0 | (cach\$ and (shortest adj distance)).ab. | USP |
| 33 | BRS | 17 | ((user or client) and close and delivery).ab. | USP |
| 34 | BRS | 17 | ((user or client) and close and delivery).ab.) not (((709/200,217,226,231,235.ccls. and (proximity).ab.) or 17-19) or ((mirror and (proximity or hops or distance) and network).ab.) or ((mirror\$ and (proximity or hops or distance) and network).ab.) or (((cach\$ and (proximity or hops or distance or location or position)).ab.) and ((client or user) and (host or server)).ab.) or ((proxy and cach\$).ab.) or ((cach\$ and closest).ab.))) | USP |
| 35 | BRS | 9 | ((user or client) and close and content).ab. | USP |
| 36 | BRS | 0 | ((user or client) and (shortest adj distance) and content).ab. | USP |



L4: (27) 13 and proximity.ab.

L5: (23) 14 not 12

L6: (0) 13 and proximit.ab.

L7: (0) 13 and closest.ab.

Search Text

| | Type | Hits | Search Text | |
|----|------|------|--|-----|
| 25 | BRS | 185 | ((push\$ and network).ab.) not (((709/200,217,226,231,235.ccls. and (proximity).ab.) or 17-19) or ((mirror and (proximity or hops or distance) and network).ab.) or ((mirror\$ and (proximity or hops or distance) and network).ab.) or (((cach\$ and (proximity or hops or distance or location or position)).ab.) and ((client or user) and (host or server)).ab.) or ((proxy and cach\$).ab.) or ((cach\$ and closest).ab.))) | USP |
| 26 | BRS | 3 | ((push\$ and network).ab.) not (((709/200,217,226,231,235.ccls. and (proximity).ab.) or 17-19) or ((mirror and (proximity or hops or distance) and network).ab.) or ((mirror\$ and (proximity or hops or distance) and network).ab.) or (((cach\$ and (proximity or hops or distance or location or position)).ab.) and ((client or user) and (host or server)).ab.) or ((proxy and cach\$).ab.) or ((cach\$ and closest).ab.))) and (proxim\$).ab. | USP |
| 27 | BRS | 1 | ((push\$ and network).ab.) not (((709/200,217,226,231,235.ccls. and (proximity).ab.) or 17-19) or ((mirror and (proximity or hops or distance) and network).ab.) or ((mirror\$ and (proximity or hops or distance) and network).ab.) or (((cach\$ and (proximity or hops or distance or location or position)).ab.) and ((client or user) and (host or server)).ab.) or ((proxy and cach\$).ab.) or ((cach\$ and closest).ab.))) and (closest).ab. | USP |
| 28 | BRS | 0 | ((push\$ and network).ab.) not (((709/200,217,226,231,235.ccls. and (proximity).ab.) or 17-19) or ((mirror and (proximity or hops or distance) and network).ab.) or ((mirror\$ and (proximity or hops or distance) and network).ab.) or (((cach\$ and (proximity or hops or distance or location or position)).ab.) and ((client or user) and (host or server)).ab.) or ((proxy and cach\$).ab.) or ((cach\$ and closest).ab.))) and (sshrtest adj distance).ab. | USP |
| 29 | BRS | 0 | ((push\$ and network).ab.) not (((709/200,217,226,231,235.ccls. and (proximity).ab.) or 17-19) or ((mirror and (proximity or hops or distance) and network).ab.) or ((mirror\$ and (proximity or hops or distance) and network).ab.) or (((cach\$ and (proximity or hops or distance or location or position)).ab.) and ((client or user) and (host or server)).ab.) or ((proxy and cach\$).ab.) or ((cach\$ and closest).ab.))) and (shortest adj distance).ab. | USP |
| 30 | BRS | 0 | ((push\$ and network).ab.) not (((709/200,217,226,231,235.ccls. and (proximity).ab.) or 17-19) or ((mirror and (proximity or hops or distance) and network).ab.) or ((mirror\$ and (proximity or hops or distance) and network).ab.) or (((cach\$ and (proximity or hops or distance or location or position)).ab.) and ((client or user) and (host or server)).ab.) or ((proxy and cach\$).ab.) or ((cach\$ and closest).ab.))) and (hops).ab. | USP |
| 31 | BRS | 0 | (cach\$ and hops).ab. | USP |
| 32 | BRS | 0 | (cach\$ and (shortest adj distance)).ab. | USP |
| 33 | BRS | 17 | ((user or client) and close and delivery).ab. | USP |
| 34 | BRS | 17 | ((user or client) and close and delivery).ab.) not (((709/200,217,226,231,235.ccls. and (proximity).ab.) or 17-19) or ((mirror and (proximity or hops or distance) and network).ab.) or ((mirror\$ and (proximity or hops or distance) and network).ab.) or (((cach\$ and (proximity or hops or distance or location or position)).ab.) and ((client or user) and (host or server)).ab.) or ((proxy and cach\$).ab.) or ((cach\$ and closest).ab.))) | USP |
| 35 | BRS | 9 | ((user or client) and close and content).ab. | USP |
| 36 | BRS | 0 | ((user or client) and (shortest adj distance) and content).ab. | USP |